Part II - Sexual reproduction

Sex, Ageing and Foraging Theory

 Production of new organisms by the combination of genetic material of two individuals.





 Production of new organisms by the combination of genetic material of two individuals.



 Production of new organisms by the combination of genetic material of two individuals.







- Production of new organisms by the combination of genetic material of two individuals.
- Sexes are defined as classes of individuals that are incompatible for sexual reproduction.

Gametes





- Production of new organisms by the combination of genetic material of two individuals.
- Sexes are defined as classes of individuals that are incompatible for sexual reproduction.
- Typically 2 sexes: males that produce many minute cheap gametes (sperm) and females that fewer produce large expensive ones (eggs).

Gametes









-

Reproduction is female limited

Reproduction is female limited

• Human female record claim: 69 offspring! (First wife of 18th century Russian peasant Fyodor Vassilyev with 16 pairs of twin, 7 sets of triplets and 4 sets of quadruplets)



Reproduction is female limited

 Human female record claim: 69 offspring! (First wife of 18th century Russian peasant Fyodor Vassilyev with 16 pairs of twin, 7 sets of triplets and 4 sets of quadruplets)



Human man record claim: 888
offspring Ismael the Bloodthirsty,
emperor of Morocco (1672-1727)



The demographic cost of sex

• For every daughter a sexual female makes, an asexual makes two.







The demographic cost of sex

• For every daughter a sexual female makes, an asexual makes two.







The demographic cost of sex

- For every daughter a sexual female makes, an asexual makes two.
- Asexuals have a huge demographic advantage and should easily outcompete sexual.







 By not allowing their genomes to mix, asexuals face two potential problems

- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet

- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet

0 deleterious mutation

Asexual

- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet



- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet





- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet



- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet

0 deleterious mutation



- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet



- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet



- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet



Back to 0 mutations thanks to sexual reproduction

- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet
 - Difficulty to combine advantageous mutations in different parts of the genomes, i.e. difficult to adapt

- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet
 - Difficulty to combine advantageous mutations in different parts of the genomes, i.e. difficult to adapt

0 beneficial mutation

Asexual

- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet
 - Difficulty to combine advantageous mutations in different parts of the genomes, i.e. difficult to adapt



- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet
 - Difficulty to combine advantageous mutations in different parts of the genomes, i.e. difficult to adapt





- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet
 - Difficulty to combine advantageous mutations in different parts of the genomes, i.e. difficult to adapt



- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet
 - Difficulty to combine advantageous mutations in different parts of the genomes, i.e. difficult to adapt







- By not allowing their genomes to mix, asexuals face two potential problems
 - Accumulation of deleterious mutations (especially in small populations) aka Muller's ratchet
 - Difficulty to combine advantageous mutations in different parts of the genomes, i.e. difficult to adapt





advantageous genes



Summary

- Sex = production of new organisms by the combination of genetic information of two individuals.
- Males = many small gametes (sperm). Females = fewer larger gametes (egg).
- Population growth is female limited.
- Two-fold demographic cost of sex.
- Asexuals accumulate more deleterious mutations and adapt less efficiently than sexual.



